

TC-D160W

16CH D1 DVR



TC-D160W	
System	
Operating System	Embedded LINUX
CPU	32 bit DSP or more powerful
User Interface	On screen graphic User Interface
System Recovery after power failure	Auto – Rebooting
Video	
Input	16 channel, BNC
Standard	NTSC(525Line,60f/s),PAL(625Line,50f/s)
Audio	
Input	4channel, RCA
Output	1 channel, RCA
Display	
Interface	1 HDMI, 1 VGA, 1 BNC
Resolution	800*600;1024*768;1280*1024;1440*900;1920*1080
Display Split	1/4/9/16
Recording	
Video/Audio Compression	H.264 / G.711
Resolution	Full D1(All channels), 704X576
Record Rate	16chD1 (25/30fps)
Record Mode	Manual, Schedule(Regular(Continuous), MD, Alarm), Stop
Record Interval	15 ~ 60min (default:60min);Pre-record:5sec;Alarm-record: 30 ~ 300sec
Monitoring	Single mode, Quad mode, 3x3 mode or 4x4 mode Sequential switching mode Switching out monitoring
Watermarking	For law enforcement grade video authentication

NOTE: ADINO TELECOM LTD reserves the right, without notification, to make changes in product design or specifications

Video Detection & Alarm	
Trigger Events	Recording , Alarm , Video Push , Email, Buzzer
Video Detection	Motion Detection、 Video Loss、 HDD Loss
Playback & Backup	
Sync Playback	1/4/9/16
Search Mode	Time/Date, Alarm, MD & Exact search (accurate to second)
Playback Functions	Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file, Next camera, Previous camera, Full screen, Repeat, Shuffle, Backup selection, Digital zoom
Backup Mode	USB Device / Internal SATA burner/ Network
Network	
Ethemet	RJ-45 port (10/100M)
Network Functions	HTTP, IPv4/IPv6, TCP/IP, UPNP, DHCP, DNS, PPPOE, DDNS
Max.User Access	5 users
Mobile Phone	IPhone, IPad, Android
Storage	
Internal HDD	4 SATA ports, up to 8TB
Auxiliary Interface	
USB Interface	2 ports (1 Rear), USB2.0
RS232	Yes
RS485	1 port, For PTZ control
General	
Power Supply	DC12V/5A
Power Consumption	25W(without HDD)
Working Environment	-10 ~+55°C / 10~90%RH / 86~106kpa
Dimension(W*D*H)	315*274*45 (mm)
Weight	1.5-2.0kg(without HDD)

NOTE: ADINO TELECOM LTD reserves the right, without notification, to make changes in product design or specifications